

Please add the following new claims:

B5

26. (New) The oral administration preparation according to claim 1, wherein the drug is at least one selected from the group consisting of acetaminophen, epirizole, pyrazinamide, caffeine, ethionamide, carvedilol, aminophylline, sulpyrine, theophylline, diphenhydramine, metoclopramide, phenylbutazone, phenobarbital and chloramphenicol.

27. (New) The oral administration preparation according to claim 1, wherein the drug is at least one amphoteric compound selected from the group consisting of epsilon-aminocaproic acid, gamma-aminobutyric acid, nalidixic acid, levofloxacin, ofloxacin, L-tryptophan, L-leucine, L-isoleucine, ampicillin, and enoxacin.

28. (New) The oral administration preparation according to claim 1, wherein the drug is at least one acid addition salt of a compound having a basic group in its structure selected from the group consisting of ticlopidine hydrochloride, roxatidine acetate HCl, imipramine hydrochloride, ephedrine hydrochloride, chlorpromazine hydrochloride, diphenhydramine hydrochloride, tetracycline hydrochloride, doxycycline hydrochloride, naphazoline hydrochloride, noscapine hydrochloride, papaverine hydrochloride, hydralazine hydrochloride, dextromethorphan hydrobromide, timepidium bromide, chlorpheniramine maleate, alimemazine tartarate, pilsicainide hydrochloride, N-methylscopolamine methylsulfate, clopidogrel sulfate and cinepazide maleate.

29. (New) The oral administration preparation according to claim 1, wherein the drug is at least one acid addition salt of an amphoteric compound selected from the group consisting of arginine hydrochloride, histidine hydrochloride, lysine hydrochloride and lysine acetate.

Amendment Under 37 C.F.R. § 1.116
U.S. Application Serial No. 09/509,677

*B5
cpts*

30. (New) The oral administration preparation according to claim 1, wherein the drug is at least one crude drug selected from the group consisting of corydalis tuber, phellodendri cortex, coptidis rhizoma, strychni semen, ephadrae harba, ipecac, scopoliae rhizoma, belladonna leaf and sophorae radix.

Subt C

31. (New) The oral administration preparation according to claim 1, wherein the sugar alcohol is added in an amount of 40 to 70 % by weight based on the total weight of the oral administration preparation.